

# Logix Processor (LXP®)

## FEATURES



- 1 Jaw change-outs in 15 minutes with the coupler style connection system, hydraulically activated lock pin, jaws that stay intact and a stand with every jaw set – safe, easy and fast
- 2 Proprietary regeneration valve improves cycle time by up to 33% compared to standard hydraulic systems
- 3 Patented pivot system provides a power curve to match the jaw's primary application. Each jaw's pivot group stays intact, allowing the use of a press fit design for a stronger, more durable product.
- 4 Heavy-duty pivot design with recessed caps provides structural strength and long-term durability
- 5 Reverse mounted cylinders protect the rods from debris
- 6 Enclosed structure adds strength and rigidity while protecting the cylinders

### Shear Jaws:

- 7 Patented bolt-on piercing tip is replaced in minutes without grinding or welding
- 8 Exclusive dual guide blade system accommodates heat expansion at the tip while maintaining tighter tolerances where the primary cutting blades pass (300 - 800 models only)
- 9 Four-way indexable guide blades, razor blade and primary blades provide four useable cutting edges

### APPLICATIONS

- Demolition
- Bridge Demolition
- Structural Steel
- Rebar
- Wire
- Aluminum
- Copper

**SHEAR  
JAWARMOR™**  
COMPATIBLE

**Pulse**  
TECHNOLOGY™  
COMPATIBLE

| Model         | Weight* | Jaw Opening | Jaw Depth | Reach** | Minimum Excavator Weight |                    |
|---------------|---------|-------------|-----------|---------|--------------------------|--------------------|
|               | (lbs.)  | (ins.)      | (ins.)    |         | Boom Mount (lbs.)        | Stick Mount (lbs.) |
| LXP 200 Shear | 5,370   | 17          | 19        | 8' 0"   | 20,000                   | 45,000             |
| LXP 200 CC    | 5,650   | 38          | 28        |         |                          |                    |
| LXP 200 CP    | 5,670   | 29          | 24        |         |                          |                    |
| LXP 300 Shear | 7,600   | 22          | 24        | 8' 6"   | 45,000                   | 70,000             |
| LXP 300 CC    | 7,560   | 43          | 30        |         |                          |                    |
| LXP 300 CP    | 7,270   | 35          | 26        |         |                          |                    |
| LXP 400 Shear | 11,065  | 24          | 27        | 9' 6"   | 60,000                   | 100,000            |
| LXP 400 CC    | 11,145  | 47          | 33.5      |         |                          |                    |
| LXP 400 CP    | 11,255  | 38          | 30        |         |                          |                    |
| LXP 500 Shear | 12,905  | 27          | 28        | 9' 11"  | 70,000                   | 120,000            |
| LXP 500 CC    | 12,715  | 51          | 34.5      |         |                          |                    |
| LXP 500 CP    | 12,205  | 43          | 31        |         |                          |                    |
| LXP 800 Shear | 17,500  | 40          | 35        | 11' 8"  | 90,000                   | 150,000            |
| LXP 800 CC    | 17,600  | 71          | 50        |         |                          |                    |
| LXP 800 CP    | 17,720  | 61          | 39        |         |                          |                    |

\*Weight includes mounting bracket to attach to excavator.

\*\*Distance is measured from the attachment mounting pivot (boom or stick) forward.


Genesis Logix Processors are covered by a 12-month, 1,500-hour (whichever occurs first) warranty.

Genesis reserves the right to continually make product improvements designed to positively enhance performance.

Patents: [genesisattachments.com/products/patents](http://genesisattachments.com/products/patents)

## Cracker Jaws

200 - 500



### APPLICATIONS


- Concrete Recycling
- C&D Processing
- Rebar
- Demolition

### FEATURES

- 1 Teeth are easy to change and fully protect the parent material, eliminating the need for build-up and hard-surfacing (200 - 500 models only)
- 2 Bolt-on teeth and blades reduce maintenance and downtime (800 model only)
- 3 Cracker tips concentrate force for a greater ability to crush through heavy concrete
- 4 Indexable blades provide two useable cutting edges
- 5 Patented pivot geometry creates peak power when jaw is fully open, where it's most needed to crush large concrete

## Pulverizer Jaws

200 - 500



### APPLICATIONS

- Demolition
- Concrete Recycling
- C&D Processing
- Rebar

### FEATURES

- 1 Bolt-on tooth bed features a fully replaceable crushing surface, eliminating the need for welding (200 - 500 models only)
- 2 Bolt-on teeth reduce maintenance and downtime (800 model only)
- 3 Patented pivot geometry creates peak power when jaws are fully open, where it's most needed to crush concrete
- 4 Tooth profile maximizes crushing force, pulverizing concrete from rebar like no other processor
- 5 Extended wear plates aid in positioning concrete for processing

## Jaw Stands



### Weight:

LXP 200 & 300: 680 lbs.

LXP 400 & 500: 780 lbs.

LXP 800: 1,100 lbs.